ORIGINAL



Patty Berry 8332 N 16th Street Phoenix, Az 85020

October 8, 2008

Arizona Corporation Commission Water Utilities Division 1200 W Washington Phoenix, Arizona 85007

Docket W-01865A-07-0384/Docket W-01865A-07-0385

Recommendation of administrative Law Judge Yvette B. Kinsey. The following exceptions are heing made: Page 7, #22. an update to the number opposed to the rate increase, there being 74 at this time, copies of petition's attached, petition also addresses the fact that the corporation By Laws that are in place states on page.5, section 3.3 Membership approval of Extraordinary Expenses: An extraordinary expense for the purpose of these bylaws shall be any expense in excess of Twenty Thousand Dollars (\$20,000.00). An affirmative vote of the majority of the members voting shall be required prior to adoption of any extraordinary expense greater than \$20,000.00 and prior to any pro-rata assessment upon the membership to meet such financial obligation. Page 5. Section 3.4. The membership must be given the opportunity to vote by mail-in ballot. We request that all ballot's be counted by a neutral party.


Page 9. #33.a break in the transite asbestos pipe would only pose a health problem if you breath in the fibers and it is not possible to breath in the water. Our water is tested by ADEQ and no asbestos ever reported. There has already been 40% of the asbestos lines replaced with plastic.

Page 18. #70. The 50.00 is an excessive amount there are a large number elderly residents living on a fixed in-come trying to pay their medical and other living expense's and this would put a greater burden on them we ask that you allow at least 1500 gallons if this amount is approved.

We the following interveners appeal to this Commission to not approve this financing and rate increase until the Corporation By Laws have been followed.

This is a continuation of the original intervention by the following people. Address and signature on file.

Johnathan Hoover
John and Marian Cree
Mary Turbyfill
Robert Schultz
Donald Muller



11: 37 -9 - 100 000 ZV

RECEIVED

2-14

Groom Creek Water Users Association Finance Request / Proposed Rate Increase Petition.

We, the undersigned owners of affected properties, do hereby petition the Groom Creek Water Users Association Board of Directors from financing for \$1,574,509. or the ACC recommendation of \$1800000.00 for water main replacement to be placed on hold until further financing options and all affected property owners have had the chance to vote on the proposed rate increases and repairs per the bylaws that are in place regarding expenses and repairs above \$20,000.00.

There is a total 18,850 feet of pipe (paved roads included) The GCWUA Board of Directors submitted cost cost estimates for replacement of 20,300 feet. The GCWUA Board of Directors stated the transite pipes are are over 50 years old and are failing and causing numerous leaks.

The pipes are not 50 years old and water loss has always been less than the 10% ACC requirement water loss. Dates of original applications to install water distribution lines for each section is as follows:

Groom Creek Pines Plat A: 5/5/59. Groom Creek Pines Plat B. 5/28/59. Groom Creek Pines Plat C. 6/14/62. Groom Creek Pines Plat D. 8/23/67. Groom Creek Estates #1. 5/29/70. Groom Creek Estates #2. 5/29/70.

OWNERS OF AFFECTED PROPERTIES.

petition. The Wh-

DATE.	Printed name.	<u>Signature</u>	Property Address.
9605	JoAnne (a	err Jan	1128 Elk Trail
9/6/02	Sarah Educ	cole Su EML	1101 81K Tani
9/6/08	MENRY JIM	ACY-IR. YM Rung	- 1102 E. WALTON PR.
9/6/05	Michelle Ma	cil Micheller	May 1102 Wolker Dowe
(6)	Vox 10 Bras	hasken M	1/6(E(X TX4)
4-1.62	Down Min Down	J. Drang	40905 Stagerouth
7-7-08	John W Millen	Your Wall.	1114 WAITON DR
9-7-08	JUDINITA MIL	R Micanate The	len Marionton DP
9-7-08	TRAY SHADET	= Juca Shin	WE 1141 EWANTON DR-
9-14-08	ARIINE	n CKEFUF FORM	DELDUY219 MARAPAI-
19/14/08	Patrick =	5 Gregisy Rate	18 Myobb Stagecoach
9-14-68	Joanna bros	girm Cannoll la	1) 1) LE Stagernach /
	Ç		
l noroonally air	aulatad thia natitian na	v common and in a basis	/
			ned each of the signatures on
uns Dader. I Kn	ow that the signers ar	e owners of procerty that	t would be affected by the

this paper with full knowledge of its contents on the date indicated opposite his/her name. I own property that would be affected by this finance request / rate increase as set out in this

Date 9/7/02

We, the undersigned owners of affected properties, do hereby petition the Groom Creek Water Users Association Board of Directors from financing for \$1,574,509. or the ACC recommendation of \$1800000.00 for water main replacement to be placed on hold until further financing options and all affected property owners have had the chance to vote on the proposed rate increases and repairs per the bylaws that are in place regarding expenses and repairs above \$20,000.00.

There is a total 18,850 feet of pipe (paved roads included) The GCWUA Board of Directors submitted cost cost estimates for replacement of 20,300 feet. The GCWUA Board of Directors stated the transite pipes are are over 50 years old and are failing and

causing numerous leaks.

The pipes are not 50 years old and water loss has always been less than the 10% ACC requirement water loss. Dates of original applications to install water distribution lines for each section is as follows:

Groom Creek Pines Plat A: 5/5/59. Groom Creek Pines Plat B. 5/28/59. Groom Creek Pines Plat C. 6/14/62. Groom Creek Pines Plat D. 8/23/67. Groom Creek Estates #1. 5/29/70. Groom Creek Estates #2. 5/29/70.

DATE: Printed name	<u>Signature</u>	Property Address.
8/22/08 Loja I	Dana Laladan	ap 134/ Stager
8/24/08 W.COKIIS	DANA - Joseph	diana.
and the second s		
I personally circulated this petition this paper. I know that the signer proposed Finance / Rate increase this paper with full knowledge of own property that would be affect petition.	rs are owners of procenty that the seas set out in this petition. I know the contents on the date indicated in the contents of the contents	would be affected by the low that each person signed ted opposite his/her name.!

6)5

Groom Creek Water Users Association Finance Request / Proposed Rate Increase Petition.

We, the undersigned owners of affected properties, do hereby petition the Groom Creek Water Users Association Board of Directors from financing for \$1,574,509. or the ACC recommendation of \$1800000.00 for water main replacement to be placed on hold until further financing options and all affected property owners have had the chance to vote on the proposed rate increases and repairs per the bylaws that are in place regarding expenses and repairs above \$20,000.00.

There is a total 18,850 feet of pipe (paved roads included) The GCWUA Board of Directors submitted cost cost estimates for replacement of 20,300 feet. The GCWUA Board of Directors stated the transite pipes are are over 50 years old and are failing and causing numerous leaks.

The pipes are not 50 years old and water loss has always been less than the 10% ACC requirement water loss. Dates of original applications to install water distribution lines for each section is as follows:

Groom Creek Pines Plat A: 5/5/59. Groom Creek Pines Plat B. 5/28/59. Groom Creek Pines Plat C. 6/14/62. Groom Creek Pines Plat D. 8/23/67. Groom Creek Estates #1. 5/29/70. Groom Creek Estates #2. 5/29/70.

DATE.	Printed name.	<u>Signature</u>	Prop	erty Address.	
9/17/08	Robert/ Stephan	in Enders S	Frdew	1176 E.A	larapar
1/2/08 ·	Kathryn Thomas	Son P. Chiz	416 Si	adeline D	<u>L</u>
this paper. I kr	rculated this petition pape now that the signers are nce / Rate increase as se	owners of prpoerty th	at would be a	ffected by the	
this paper with own property (t	full knowledge of its con hat would be affected by	tents on the date indi	icated opposit / rate increase	e his/her name.l	
petition.	tales -		Date	7/17/08	

We, the undersigned owners of affected properties, do hereby petition the Groom Creek Water Users Association Board of Directors from financing for \$1,574,509. or the ACC recommendation of \$1800000.00 for water main replacement to be placed on hold until further financing options and all affected property owners have had the chance to vote on the proposed rate increases and repairs per the bylaws that are in place regarding expenses and repairs above \$20,000.00.

There is a total 18,850 feet of pipe (paved roads included) The GCWUA Board of Directors submitted cost cost estimates for replacement of 20,300 feet. The GCWUA Board of Directors stated the transite pipes are over 50 years old and are failing and

causing numerous leaks.

The pipes are not 50 years old and water loss has always been less than the 10% ACC requirement water loss. Dates of original applications to Install water distribution lines for each section is as follows:

Groom Creek Pines Plat A: 5/5/59. Groom Creek Pines Plat B. 5/28/59. Groom Creek Pines Plat C. 6/14/62. Groom Creek Pines Plat D. 8/23/67. Groom Creek Estates #1. 5/29/70. Groom Creek Estates #2. 5/29/70.

DATE.	Printed name.	Signature	
8/18/08	RonRemy	Ronkey	23439 N. 431d Dr. Glendale AZ 85310
[623] <u>210</u> -	1409		4066 Moose Tr.L. Prescott AZ 86303
8/25/08	Elizabeth Schultz	Elizabet Schulle	1406 & Farll Dr Phx 85014
			1121 Stayecoach. Present 86303
this paper. I know proposed Finar this paper with	culated this petition paper ow that the signers are ow nce / Rate increase as set full knowledge of its conte nat would be affected by th	vners of prpoerty that wou out in this petition.I know nts on the date indicated is finence request / rate in	that each person signed opposite his/her name.!

We, the undersigned owners of affected properties, do hereby petition the Groom Creek Water Users Association Board of Directors from financing for \$1,574,509. or the ACC recommendation of \$1800000.00 for water main replacement to be placed on hold until further financing options and all affected property owners have had the chance to vote on the proposed rate increases and repairs per the bylaws that are in place regarding expenses and repairs above \$20,000.00.

There is a total 18,850 feet of pipe (paved roads included) The GCWUA Board of Directors submitted cost sees timates for replacement of 20,300 feet. The GCWUA Board of Directors stated the transite pipes are are over 50 years old and are failing and

causing numerous leaks.

The pipes are not 50 years old and water loss has always been less than the 10% ACC requirement water loss. Dates of original applications to install water distribution lines for each section is as follows:

Groom Creek Pines Plat A: 5/5/59. Groom Creek Pines Plat B. 5/28/59. Groom Creek Pines Plat C. 6/14/62, Groom Creek Pines Plat D. 8/23/67. Groom Creek Estates #1. 5/29/70. Groom Creek Estates #2. 5/29/70.

DATE.	Printed name.	Signature ,	Property Address.
8/27/08	TONATHAN S, HOO	Ru Faltors	2 992 E. BenefTal
8/30/08	ROBERT M. SCHULZ		1075E WAGOOD WHELL OR.
9/29/08	Hershell Par		wey 11 11
this paper. I	know that the signers are nance / Rate increase as ith full knowledge of its co	e owners of prpoerty that set out in this petition.I k intents on the date indic	ned each of the signatures on would be affected by the mow that each person signed ated opposite his/her name.! ate increase as set out in this Date

We, the undersigned owners of affected properties, do hereby petition the Groom Creek Water Users Association Board of Directors from financing for \$1,574,509, or the ACC recommendation of \$1800000.00 for water main replacement to be placed on hold until further financing options and all affected property owners have had the chance to vote on the proposed rate increases and repairs per the bylaws that are in place regarding expenses and repairs above \$20,000.00.

There is a total 18,850 feet of pipe (paved roads included) The GCWUA Board of Directors submitted cost cost estimates for replacement of 20,300 feet. The GCWUA Board of Directors stated the transite pipes are are over 50 years old and are failing and causing numerous leaks.

The pipes are not 50 years old and water loss has always been less than the 10% ACC requirement water loss. Dates of original applications to install water distribution lines for each section is as follows:

Groom Creek Pines Plat A: 5/5/59. Groom Creek Pines Plat B. 5/28/59. Groom Creek Pines Plat C. 6/14/62. Groom Creek Pines Plat D. 8/23/67. Groom Creek Estates #1. 5/29/70. Groom Creek Estates #2. 5/29/70.

OWNERS OF AFFECTED PROPERTIES.

DATE. Printed name.

10-6-08 Richard HAMRICK

Property Address.

1474 E SILVER KING

GROOM CREEK, CIVILE

PRESCOTT AZ

We, the undersigned owners of affected properties, do hereby petition the Groom Creek Water Users Association Board of Directors from financing for \$1,574,509. or the ACC recommendation of \$1800000.00 for water main replacement to be placed on hold until further financing options and all affected property owners have had the chance to vote on the proposed rate increases and repairs per the bylaws that are in place regarding expenses and repairs above \$20,000.00.

There is a total 18,850 feet of pipe (paved roads included) The GCWUA Board of Directors aubmitted cost cost estimates for replacement of 20,300 feet. The GCWUA Board of Directors stated the transite pipes are are over 50 years old and are failing and

causing numerous leaks.

The pipes are not 50 years old and water loss has always been less than the 10% ACC requirement water loss. Dates of original applications to install water distribution lines for each section is as follows:

Groom Creek Pines Plat A: 5/5/59. Groom Creek Pines Plat B. 5/28/59. Groom Creek Pines Plat C. 6/14/62. Groom Creek Pines Plat D. 8/23/67. Groom Creek Estates #1. 5/29/70. Groom Creek Estates #2. 5/29/70.

Sept. 3.2008 Patricialancy fatricia farry 54 x 53 Stage Code Sep3, 2008 Grant Laney lenantifancy 54 x 55 Stage Code 1171 x 1179		Printed name. Signature Property Address.	inted name.	DATE.
Sep3, 2008 Grant Laney Senanthhaney 5.4955 Stage Cool	1990 G	1808 Patricialancy tatricia Larry 54 x 55 Sta	atricia Lancy	Sept. 3.2008
	200 A	08 Grant laney length famen 54955 Stage Co	Frant Laney/	5203,2008
	"Ch K	1 117141179	7)	
			•	
			Region of Principal Control of Co	
	Più			
	ı			
I personally circulated this petition paper and personally obtained each of the signatures on		circulated this petition paper and personally obtained each of the signatures on	this petition paper a	i personally circula
this paper. I know that the signers are owners of prpoerty that would be affected by the		know that the signers are owners of prpoerty that would be affected by the	the signers are own	this paper. I know
proposed Finance / Rate increase as set out in this petition. I know that each person signed				
this paper with full knowledge of its contents on the date indicated opposite his/her name.! own property that would be affected by this finance request / rate increase as set out in this				
petition Date		· · · · · · · · · · · · · · · · · · ·	and the same of the same	

6

Groom Creek Water Users Association Finance Request / Proposed Rate Increase Petition.

We, the undersigned owners of affected properties, do hereby petition the Groom Creek Water Users Association Board of Directors from financing for \$1,574,509, or the ACC recommendation of \$1800000.00 for water main replacement to be placed on hold until further financing options and all affected property owners have had the chance to vote on the proposed rate increases and repairs per the bylaws that are in place regarding expenses and repairs above \$20,000.00.

There is a total 18,850 feet of pipe (paved roads included) The GCWUA Board of Directors submitted cost cost estimates for replacement of 20,300 feet. The GCWUA Board of Directors stated the transite pipes are over 50 years old and are failing and

causing numerous leaks.

The pipes are not 50 years old and water loss has always been less than the 10% ACC requirement water loss. Dates of original applications to install water distribution lines for each section is as follows:

Groom Creek Pines Plat A: 5/5/59. Groom Creek Pines Plat B. 5/28/59. Groom Creek Pines Plat C. 6/14/62. Groom Creek Pines Plat D. 8/23/67. Groom Creek Estates #1. 5/29/70. Groom Creek Estates #2. 5/29/70.

DAIE.	Printed name.	Signature	
7-1-08	Dr. Larry R. Taint	or Deliteta	4405 Spurhage
7-01-08	Mrs. Vickie L. Tain		En 4405 Sportane
1-1-03	Torial Sal	Dex Donal Min	44915 Sour fare
J-085	DAN BASK	tion milkes	4445 South Sale W
1-500	- (2410 12017)		
•			
		in the second se	
-			
	M. M		
I personally	circulated this petition pa	per and personally obtaine	d each of the signatures on
this namer !	know that the signers as	w Jenji Vilgodio to alegun e	Wild be succise by me
this paper. I	know that the signers an nance / Rate increase as ith full knowledge of its co	e owners of prpoerty that w set out in this petition.I kno ontents on the date indicate	ow that each person signed ed opposite his/her name.
this paper. I	know that the signers an nance / Rate increase as ith full knowledge of its co	e owners of prpoerty that w set out in this petition.I kno ontents on the date indicate	Wild be succise by me

We, the undersigned owners of affected properties, do hereby petition the Groom Creek Water Users Association Board of Directors from financing for \$1,574,509, or the ACC recommendation of \$1800000.00 for water main replacement to be placed on hold until further financing options and all affected property owners have had the chance to vote on the proposed rate increases and repairs per the bylaws that are in place regarding expenses and repairs above \$20,000.00.

There is a total 18,850 feet of pipe (paved roads included) The GCWUA Board of Directors aubmitted cost cost estimates for replacement of 20,300 feet. The GCWUA Board of Directors stated the transite pipes are are over 50 years old and are failing and

causing numerous leaks.

The pipes are not 50 years old and water loss has always been less than the 10% ACC requirement water loss. Dates of original applications to install water distribution lines for each section is as follows:

Groom Creek Pines Plat A: 5/5/59. Groom Creek Pines Plat B. 5/28/59. Groom Creek Pines Plat C. 6/14/62. Groom Creek Pines Plat D. 8/23/67. Groom Creek Estates #1. 5/29/70. Groom Creek Estates #2. 5/29/70.

DATE.	Printed name.	Signature	Property Address.
AUGUST 26 Quy. 24,200	8 - Pandi Lee		Agon WHEEL DRIVE
this paper. I kn proposed Fina this paper with own property to	now that the signers a nce / Rate increase as full knowledge of its o hat would be affected	re owners of property that a set out in this petition.I contents on the date indic	kined each of the signatures on at would be affected by the know that each person signed cated opposite his/her name.! rate increase as set out in this Date August 26, 2008

We, the undersigned owners of affected properties, do hereby petition the Groom Creek Water Users Association Board of Directors from financing for \$1,574,509. or the ACC recommendation of \$1800000.00 for water main replacement to be placed on hold until further financing options and all affected property owners have had the chance to vote on the proposed rate increases and repairs per the bylaws that are in place regarding expenses and repairs above \$20,000.00.

There is a total 18,850 feet of pipe (paved roads included) The GCWUA Board of Directors submitted cost cost estimates for replacement of 20,300 feet. The GCWUA Board of Directors stated the transite pipes are are over 50 years old and are failing and

causing numerous leaks.

The pipes are not 50 years old and water loss has always been less than the 10% ACC requirement water loss. Dates of original applications to install water distribution lines for each section is as follows:

Groom Creek Pines Plat A: 5/5/59. Groom Creek Pines Plat B. 5/28/59. Groom Creek Pines Plat C. 6/14/62. Groom Creek Pines Plat D. 8/23/67. Groom Creek Estates #1. 5/29/70. Groom Creek Estates #2. 5/29/70.

DATE.	<u>Printed name.</u>	<u>Signature</u>	Froberty Address.
SEP 2 PURS	PAMELA A FORS	TOR Lambe Of Ford	DEREM CREEK AS CHA)
		3/	September 20 year Miles Jane
this paper. I ke proposed Fina this paper with	now that the signers ance / Rate increase n full knowledge of its	are owners of prpoerty the as set out in this petition.less s contents on the date indi	ained each of the signatures on at would be affected by the know that each person signed cated opposite his/her name.! rate increase as set out in this Date

We, the undersigned owners of affected properties, do hereby petition the Groom Creek Water Users Association Board of Directors from financing for \$1,574,509, or the ACC recommendation of \$1800000.00 for water main replacement to be placed on hold until further financing options and all affected property owners have had the chance to vote on the proposed rate increases and repairs per the bylaws that are in place regarding expenses and repairs above \$20,000.00.

There is a total 18,850 feet of pipe (paved roads included) The GCWUA Board of Directors submitted cost cost estimates for replacement of 20,300 feet. The GCWUA Board of Directors stated the transite pipes are are over 50 years old and are failing and

causing numerous leaks.

The pipes are not 50 years old and water loss has always been less than the 10% ACC requirement water loss. Dates of original applications to install water distribution lines for each section is as follows:

Groom Creek Pines Plat A: 5/5/59, Groom Creek Pines Plat B. 5/28/59. Groom Creek Pines Plat C. 6/14/62, Groom Creek Pines Plat D. 8/23/67. Groom Creek Estates #1. 5/29/70. Groom Creek Estates #2. 5/29/70.

DATE.	Printed name.	wing collect	Property Address.
8/24/08	JOAN EWAMPLE	P Joan 6.	Wendler 1125 Stage Coac
128/08	DAVID LTURBYFILL	anal/fille	Justier 4152 5 ACE COACH
7/14/08	Colleen D Turby Fin	Caller D	W 15/3/3/3/3/3/3/3/3/3/3/3/3/3/3/3/3/3/3/3
-			
•		<u> </u>	
i personally	circulated this petition pape	er and personally of	btained each of the signatures on
this namer I	know that the signers are o	wners of property:	that would be affected by the n.l know that each person signed
this namer wi	ith full knowledge of its cont	tents on the date in	idicated opposite his/her name.i
own property	y that would be affected by	this finance reques	st / rate increase as set out in this Date
petition			

1

Groom Creek Water Users Association Finance Request / Proposed Rate Increase Petition.

We, the undersigned owners of affected properties, do hereby petition the Groom Creek Water Users Association Board of Directors from financing for \$1,574,509, or the ACC recommendation of \$1800000.00 for water main replacement to be placed on hold Until further financing options and all affected property owners have had the chance to vote on the proposed rate increases and repairs per the bylaws that are in place regarding expenses and repairs above \$20,000.00.

There is a total 18,850 feet of pipe (paved roads included) The GCWUA Board of Directors submitted cost cost estimates for replacement of 20,300 feet. The GCWUA Board of Directors stated the transite pipes are are over 50 years old and are failing and

causing numerous leaks.

The pipes are not 50 years old and water loss has always been less than the 10% ACC requirement water loss. Dates of original applications to install water distribution lines for each section is as follows:

Groom Creek Pines Plat A: 5/5/59. Groom Creek Pines Plat B. 5/28/59. Groom Creek Pines Plat C. 6/14/62. Groom Creek Pines Plat D. 8/23/67. Groom Creek Estates #1. 5/29/70. Groom Creek Estates #2. 5/29/70.

DATE.	Printed name.	<u>Signature</u>	Property Address.
8-24-08	KENNETH & DELIA	Smath Lu	lo 1133 STAGECOACH
	PESHO	Daia Pesh	
9/1/03	Mank Johnson	1994 to linester	1113 FLIX, TAAIL
9/1/08	MARIAN L. CREE	marian F. Mes	1016 E. WAGON WHEEL DRIV
9/7/08	JOHN S. CREE	John S. Cree.	1016 E. WAGON WHEEL DRIVE
917/08	Bettyllnkrich	Bety Unkried	1262 hagon wheel fr.
917/01	Syson Makrous	2 h	1025 Stegensch
9/8/08	Virginia Swind	le Miramina Amer	ml 1126 E. Stay coach Rg
9/8/08	JOHN White	Ex John W'hil	to, 1137EAtharoach Kel
9/12/08	Melissa Kaluhiok	alania Millian Value	ickalain 4050 Morce Trail
9/13/0	8 maring Palsonbo		D 11818 Me-2001RD
9/14/200		Ollis man (KIEM	1307 Silver King Circle
7-17	J		
I nersonal	ly circulated this petition of	ner and personally obtain	ned each of the signatures on
this naner	i know that the signers as	e owners of procerty that	Monid be succised by the
nronoseri	Finance / Rate increase as	set out in this petition.I k	how that each person signed
this naner	with full knowledge of its c	ontents on the date indica	ated opposite his/her name.i
DWD DIOD	erty that would be affected	by this finance request / n	ate increase as set out in this
petition.			Date

We, the undersigned owners of affected properties, do hereby petition the Groom Creek Water Users Association Board of Directors from financing for \$1,574,509. or the ACC recommendation of \$1800000.00 for water main replacement to be placed on hold until further financing options and all affected property owners have had the chance to vote on the proposed rate increases and repairs per the bylaws that are in place regarding expenses and repairs above \$20,000.00.

There is a total 18,850 feet of pipe (paved roads included) The GCWUA Board of Directors aubmitted cost cost estimates for replacement of 20,300 feet. The GCWUA Board of Directors stated the transite pipes are over 50 years old and are failing and

causing numerous leaks.

The pipes are not 50 years old and water loss has always been less than the 10% ACC requirement water loss. Dates of original applications to install water distribution lines for each section is as follows:

Groom Creek Pines Plat A: 5/5/59. Groom Creek Pines Plat B. 5/28/59. Groom Creek Pines Plat C. 6/14/62. Groom Creek Pines Plat D. 8/23/67. Groom Creek Estates #1. 5/29/70. Groom Creek Estates #2. 5/29/70.

DATE.	Printed name.	Signature	Property Appless.
126/08	KAIMEY RED	ner cydialdy !	Lemm 1133 WACON WIKEL OR GROWN CREEM AZ
		V	Grown CREEN AZ
			
		<u> </u>	
			
			Maria de la Maria della
this paper. I proposed Fi	know that the signers are nance / Rate increase as s ith full knowledge of its cor	owners of prpoerty that et out in this petition.I k Itents on the date indica	ned each of the signatures on would be affected by the now that each person signed ated opposite his/her name.! ate increase as set out in this Date



We, the undersigned owners of affected properties, do hereby petition the Groom Creek Water Users Association Board of Directors from financing for \$1,574,509. or the ACC recommendation of \$1800000.00 for water main replacement to be placed on hold until further financing options and all affected property owners have had the chance to vote on the proposed rate increases and repairs per the bylaws that are in place regarding expenses and repairs above \$20,000.00.

There is a total 18,850 feet of pipe (paved roads included) The GCWUA Board of Directors submitted cost cost estimates for replacement of 20,300 feet. The GCWUA Board of Directors stated the transite pipes are are over 50 years old and are failing and causing numerous leaks.

The pipes are not 50 years old and water loss has always been less than the 10% ACC requirement water loss. Dates of original applications to install water distribution lines for each section is as follows:

Groom Creek Pines Plat A: 5/5/59. Groom Creek Pines Plat B. 5/28/59. Groom Creek Pines Plat C. 6/14/62. Groom Creek Pines Plat D. 8/23/67. Groom Creek Estates #1. 5/29/70. Groom Creek Estates #2. 5/29/70.

DATE.	Printed name.	<u>Signature</u>	Property Address.	
6-6-08	Ben Levano	Be Soon	1140 EIKT	_
0/7/08	Pete Edwards	Ptr N Edule	1161 ElK Trail	_
10/7/8	BARBARATHEL	S MATELO	1096 ELICTRL	_
10/1/08	BROOKE WHILEFT		d 1306 wagen whe	٢
1017/08	LUKE WAKEFIE		13010 wagen ut	_
<u> </u>	Betty Unkri	ch Buthhere	A 12162 Wagowhe	2
	·	<u> </u>		-
				-
***************************************				_
·			The state of the s	
				_
				-
I personally circ	culated this petition paper	r and personally obtained	each of the signatures on	
		wners of prpoerty that wo		
			v that each person signed	
this paper with t	full knowledge of its conte	ents on the date indicated	d opposite his/her name.l	
			increase as set out in this	
petition.	when		Date_ <u>/<i>O</i> / </u>	

We, the undersigned owners of affected properties, do hereby petition the Groom Creek Water Users Association Board of Directors from financing for \$1,574,509. or the ACC recommendation of \$1800000.00 for water main replacement to be placed on hold until further financing options and all affected property owners have had the chance to vote on the proposed rate increases and repairs per the bylaws that are in place regarding expenses and repairs above \$20,000.00.

There is a total 18,850 feet of pipe (paved roads included) The GCWUA Board of Directors submitted cost cost estimates for replacement of 20,300 feet. The GCWUA Board of Directors stated the transite pipes are are over 50 years old and are failing and causing numerous leaks.

The pipes are not 50 years old and water loss has always been less than the 10% ACC requirement water loss. Dates of original applications to install water distribution lines for each section is as follows:

Groom Creek Pines Plat A: 5/5/59. Groom Creek Pines Plat B. 5/28/59. Groom Creek Pines Plat C. 6/14/62, Groom Creek Pines Plat D. 8/23/67. Groom Creek Estates #1, 5/29/70. Groom Creek Estates #2, 5/29/70.

OWNERS OF AFFECTED PROPERTIES.

DATE.	Printed name.	<u>Signature</u>	Property Address.
10/5	Dan McDonald Hara Pol Mile	ensley /	Table Mappe Sar Ln.
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
this paper. I proposed F this paper w own proper	I know that the signers are over inance / Rate increase as set with full knowledge of its conte	vners of prpoerty to out in this petition nts on the date in is-finance reques	I.I know that each person signed dicated opposite his/her name.It / rate increase as set out in this

second

We, the undersigned owners of affected properties, do hereby petition the Groom Creek Water Users Association Board of Directors from financing for \$1,574,509. or the ACC recommendation of \$1800000.00 for water main replacement to be placed on hold until further financing options and all affected property owners have had the chance to vote on the proposed rate increases and repairs per the bylaws that are in place regarding expenses and repairs above \$20,000.00.

There is a total 18,850 feet of pipe (paved roads included) The GCWUA Board of Directors submitted cost cost estimates for replacement of 20,300 feet. The GCWUA Board of Directors stated the transite pipes are are over 50 years old and are failing and

causing numerous leaks.

The pipes are not 50 years old and water loss has always been less than the 10% ACC requirement water loss. Dates of original applications to install water distribution lines for each section is as follows:

Groom Creek Pines Plat A: 5/5/59. Groom Creek Pines Plat B. 5/28/59. Groom Creek Pines Plat C. 6/14/62. Groom Creek Pines Plat D. 8/23/67. Groom Creek Estates #1. 5/29/70. Groom Creek Estates #2. 5/29/70.

DATE.	Printed name.	<u> Şignature</u>	Property Address.
5-1-08	Donnaliser	Dorma Merci	1164 Elk Than
6~1~08	Charles Riser	Chale of	1/64 ELK TRAIL
l personally this paper.	circulated this petition pape know that the signers are o	er and personally obtained owners of prpoerty that we	i each of the signatures on buld be affected by the
proposed F	inance / Rate increase as sewith full knowledge of its conf	et out in this petition.I know tents on the date indicate	w that each person signed dopposite his/her name.!
own proper petition	ty that would be affected by	this finance request / rate	increase as set out in this Date <u>10 7 - S</u>



DATE.

Groom Creek Water Users Association Finance Request / Proposed Rate Increase Petition.

We, the undersigned owners of affected properties, do hereby petition the Groom Creek Water Users Association Board of Directors from financing for \$1,574,509. or the ACC recommendation of \$1800000.00 for water main replacement to be placed on hold until further financing options and all affected property owners have had the chance to vote on the proposed rate increases and repairs per the bylaws that are in place regarding expenses and repairs above \$20,000.00.

There is a total 18,850 feet of pipe (paved roads included) The GCWUA Board of Directors submitted cost cost estimates for replacement of 20,300 feet. The GCWUA Board of Directors stated the transite pipes are are over 50 years old and are failing and causing numerous leaks.

The pipes are not 50 years old and water loss has always been less than the 10% ACC requirement water loss. Dates of original applications to install water distribution lines for each section is as follows:

Signature

Property Address.

Date____

Groom Creek Pines Plat A: 5/5/59. Groom Creek Pines Plat B. 5/28/59. Groom Creek Pines Plat C. 6/14/62. Groom Creek Pines Plat D. 8/23/67. Groom Creek Estates #1, 5/29/70. Groom Creek Estates #2, 5/29/70.

OWNERS OF AFFECTED PROPERTIES.

Printed name

21,1.31		<u> </u>	
3/19/68	- Nonalou Apne	Javs + Nona Z	on Chy 1169 Wa Han D
8/31/28	Mary E. Turby Fill	Then & Joshin	Il 4168 Stage coach Rd
8/22/08	FAWNL. HILLER 10	223 WAOON Wheel	De Jaun L. Hiller
8/27/08	James T Hiller	James 7 Will	Les 1223 Ewagon wheel Or
8/22/08	ARTHUR SUMMERS	aster Dun	
8/24/04	BEVERLY SUNNERS	Bury Klim	resp +185 S. COBURN DR
8/24/08	Shieley Fished	Shedley Fish	er) 4066 S. Adeline DL
8/29/68	PAHY BERRY	Doctor Ses	ky 1169- Mgr (00)
8-29/108	Richard Kaluhie Kalah	last Mich	4050 Moose Tra, 1
G.2409	King Knist korde		1053 Waves Weel
4-5-08	SHAROW MALOLTY	Staron Maldu	V 1212 Elk Frail
9-29-08	FRANK M. CACAMICH	Frul Por	1 4.145 S. ADELINE
9-29-08	JUE Lupo	ve Luge	AILG ADELIN
I personally o	irculated this petition paper	and personally obt	ained each of the signatures on
proposed Fin	ance / Rate increase as set	out in this petition.	nat would be affected by the I know that each person signed icated opposite his/her name.!
• •	•		/ rate increase as set out in this

We, the undersigned owners of affected properties, do hereby petition the Groom Creek Water Users Association Board of Directors from financing for \$1,574,509. or the ACC recommendation of \$1800000.00 for water main replacement to be placed on hold until further financing options and all affected property owners have had the chance to vote on the proposed rate increases and repairs per the bylaws that are in place regarding expenses and repairs above \$20,000.00.

There is a total 18,850 feet of pipe (paved roads included) The GCWUA Board of Directors aubmitted cost cost estimates for replacement of 20,300 feet. The GCWUA Board of Directors stated the transite pipes are are over 50 years old and are failing and causing numerous leaks.

The pipes are not 50 years old and water loss has always been less than the 10% ACC requirement water loss. Dates of original applications to install water distribution lines for each section is as follows:

Groom Creek Pines Plat A: 5/5/59, Groom Creek Pines Plat B. 5/28/59. Groom Creek Pines Plat C. 6/14/62, Groom Creek Pines Plat D. 8/23/67. Groom Creek Estates #1, 5/29/70. Groom Creek Estates #2, 5/29/70.

OWNERS OF AFFECTED PROPERTIES.

DATE.	Printed name.	<u>Signature</u>	Pro	Property Address.		
8/24/08	ERIC + MARIE ERLBAUM		4421	SPOKE LANE		
		the he form	73.			
· · · · · · · · · · · · · · · · · · ·		Marie	La San in security			
,		<u> </u>				
·						
l personally	circulated this petition paper	and personally obt	ained each o	f the signatures on		
proposed F	know that the signers are ow inance / Rate increase as set	out in this petition.	I know that ea	ach person signed		
	vith full knowledge of its conte ty that would be affected by th					
petition	and the state of t	the terton state a find proper.	Date			

TOTOLTON TURE TOWN ONTLATET